

3658 mm

610 mm
24 Hour Rd
Allandale Waterfront

FOR CURRENT DETAILED ARTWORK, REFER TO THE GO STATIC SIGNAGE CATALOGUE ON LOCATION

PANEL TO BE APPLIED WITH ENGINEER GRADE REFLECTIVE SHEETING (WHITE)

CUT FLANGES OF VERTICAL C CHANNEL INSERT INTO TOP AND BOTTOM HORIZONTAL MEMBERS AND WELD IN PLACE

FASTENING TABS (SIGN FACE)
SIGN FACE

100X100 X 6MM WALL ALUMINUM TUBE POST.

FASTENING POINTS (SIGN FACE)

INTERIOR ALUMINUM C-CHANNELS (4" X 1.5" X 1/8")

SIGN PANEL TO BE FABRICATED FROM 3MM (1") ALUMINUM SHEETING

SIGN BASE

PLAN SIGN ASSEMBLY SECTION

A2.1 Signtype

METROLINX PROJECT NO. XXXXXX

XXXXXXXXX STATION

BLADE-FACILITY ID SIGN (3658 mm) ELEVATIONS

SIGN CAP PANEL FASTENING VERTICAL SECTION

SIGN CAP WITH COUNTERSUNK HOLES. SCREW HOLES TO BE DRILLED BEFORE PAINTING.

SIGN FACE

METRIC
ALL DIMENSIONS SHOWN ARE IN METRES AND/OR MILLIMETRES UNLESS OTHERWISE NOTED.

ALL SIGN FASTENERS TO BE STAINLESS STEEL

SIGN FACE SLOT CUT IN OUTSIDE FACE OF SIGN POST

TOP CAP FASTENING PLATE WELDED IN POST

SIGN FACE PANEL FASTENING PLAN

ALL SIGN FASTENERS TO BE STAINLESS STEEL

TOP CAP FASTENING PLATE WELDED IN POST

SIGN FACE

SIGN FACE

SIGN FACE SLOT IN POST

5
-001

4
-001

5
-001

1
-001

A1.2 SIGN ELEVATION

3650 mm

EQ

FASTENING POINTS (BOTTOM CAP)
INTERIOR ALUMINUM C-CHANNELS 50 X 32 X 4MM (2" X 1.25" X 1/8")
ALIGN 3 MM DRAIN HOLES IN CAP WITH DRAIN HOLES IN BOTTOM C-CHANNEL BETWEEN EACH VERTICAL STRUCTURE

BOTTOM CAP

PAINT TO MATCH
PMS 417C

SIGN STRUCTURE ASSEMBLY

2
-001

REFERENCE DRAWINGS

ISSUE

REVISIONS

DRAWN BY:
G.A.D./28
2015/07/28

DESIGNED BY:
G.A.D./28
2015/07/28

CHECKED BY:
G.A.D./28
2015/07/28

APPROVED BY:
G.A.D./28
2015/08/12

DISCLAIMER NOTE
12.27.13

NOMENCLATURE REVISION
07.01.12

GRAPHIC INFO UPDATE
05.06.12

GENERAL UPDATE
05.05.12

NO. DATE

ISSUED FOR

REV. DATE

SCALE: 1:XXX

FULL SIZE ONLY

CONTRACT NO.
XX-20XX-XX-XXX

DWG. NO.
BLADE-3658-001

REV. SHEET
5 1/2

NOTE: THIS DRAWING IS PROVIDED FOR INSTRUCTIONAL DESIGN PURPOSES ONLY BASED ON METROLINX CO TRANSIT DESIGN GUIDELINES AND REQUIREMENTS. THE CONSULTANT SHALL VERIFY FOR LOCAL CODE COMPLIANCE. EXISTING SITE CONDITIONS AND INTER DISCIPLINARY DRAWING COORDINATION. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CONSULTANT AND/OR



| | | | | | | | | | | | | | | |
|----------|-------|-----|------|------------|------|------|--------------------------------------|---|--|---|-----------------------------|-----------------------------------|---------------------------------|----------------------------|
| DWG. NO. | TITLE | NO. | DATE | ISSUED FOR | REV. | DATE | DRAWN BY: G.A.D./28 2015/07/28 | DESIGNED BY: G.A.D./28 2015/07/28 | CHECKED BY: G.A.D./28 2015/07/28 | APPROVED BY: G.A.D./28 2015/08/12 | DISCLAIMER NOTE 12.27.13 | NOMENCLATURE REVISION 07.01.12 | GRAPHIC INFO UPDATE 05.06.12 | GENERAL UPDATE 05.05.12 |
|----------|-------|-----|------|------------|------|------|--------------------------------------|---|--|---|-----------------------------|-----------------------------------|---------------------------------|----------------------------|