

Document No.	Title (English)	Rev. No.	Revision Date	Status	Amendment Date	Amendment Record Details
MX-STC-BUL-007	Signal Standards Bulletin 07: Grade Crossing Design Standard	0	2026-01-09	Current	2026-03-19	Initial Bulletin released.
GI-303	Battery Grounds and Isolation Faults Tests	0	2026-01-01	Current	2026-01-29	New form established.
RC-0506-03SIG-01	General Instructions (GI)	2	2025-07-01	Current	2025-08-01	Updates to GI305 Inspection and Testing of Batteries, GI 310 Grade Crossing Systems, GI332 Guard Rail Bonds, GI335 and GI 336 for vital and non-vital hardware and software. Additional general updates based on stakeholders' feedback.
MX-STC-STD-002	GO and UP Fleet Radio Devices Installation Standard	1	2025-05-15	Current	2025-05-15	Revised the current standard to align with the present status of the rail fleet and updated part numbers and addition of equipment in the UP fleet.
RC-0506-03SIG-02	Codes of Practice	3	2025-05-02	Current	2025-05-16	General updates based on stakeholder feedback.
RC-0506-03SIG-03	Signal Design Manual	2	2025-05-01	Current	2025-05-22	Updates reflect current signalling best practices and lessons learned from previous signalling projects.
GI-620(a)-F	Inspection form for Rail & Crib Heater (Thermal Flex) Systems	1	2025-02-25	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
MX-STC-STD-001	Track Workers Radio Equipment and Communication Standard	0	2025-01-01	Current	2025-01-31	This is the first edition of the standard.
MX-STC-STD-005	Radio Equipment Installation Standard Inside Buildings & Tunnels	0	2024-11-01	Current	2024-11-27	New standard established.
34 42 01	Aluminum House Specification	1	2024-06-06	Current	2024-06-04	General updates and formatting.
RC-0506-03SIG-04	Signal Sighting Standard	2	2024-06-06	Current	2024-06-04	Format update, added additional installation requirements, added reference to sighting committee.
Bulletin 001	Signals Standards Bulletin	0	2023-10-03	Current	2024-02-08	Signals Standards Bulletin for GI and SCP - Updated Bonds and Battery requirements.
FAE-001	At Grade Pedestrian Crossings Appendix C DRM Content	0	2023-09-14	Current	2023-09-14	New standard document uploaded.
MX-STC-STD-004	GO Site Radio Devices Installation Standard	0	2023-07-05	Current	2023-07-04	New standard document uploaded.
MX-STC-STD-003	GO Bus Radio Devices Installation Standard	0	2023-07-05	Current	2023-07-04	New standard document uploaded.
MX-STC-STD-002	GO and UP Fleet Radio Devices Installation Standard	0	2023-03-28	Superseded	2025-05-15	New standard document uploaded.
GI-612(a)-F	Inspection Form for Condor T4000	1	2022-11-20	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
RC-0506-05RCM-01	GO Transit Grade Crossing Design Standard	0	2022-07-08	Current	2022-07-07	New standard document uploaded.
SCP-1205_C-Form	Highway Traffic - Grade Crossing Warning System Interconnection	1	2021-02-25	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.

Document No.	Title (English)	Rev. No.	Revision Date	Status	Amendment Date	Amendment Record Details
SCP-709-Form	GCWS Deactivation Form	1	2021-02-25	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_3-Form	Grade Crossing Warning System Safety Assurance Checklist	1	2021-02-25	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-0701-Form	Grade Crossing Warning Systems Post Incident Checklist	1	2021-02-25	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-901-Form	WIS Maintenance & Inspection Test Card	1	2021-02-25	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
GI-611(b)-F	Inspection form for Fastrax® FEB E-HAB SCD Systems	1	2021-02-25	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
GI-613(a)-F	Inspection form for RECO Model 950 to 955 (LP-G or N-G) Systems	1	2021-02-25	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
GI-613(b)-F	Inspection form for RECO Model 934 (E-HAB) Systems	1	2021-02-25	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
GI-611(a)-F	Inspection form for Hellfire SCD Systems	1	2021-02-25	Current	2025-08-01	Form removed from the GI Document and placed independently on the Engineering Website.
RC-05-06-03SIG-04	Signal Sighting Distance Design	1	2021-02-01	Superseded	2021-02-01	Revise GO Transit Signals and Communications Standards - Signal Design Manual
RC-0506-03SIG-02	Codes of Practice	1	2021-02-01	Superseded	2021-02-01	Revise Codes of Practice (SCP)
34 42 04	Overhead Signal Structures Specification	1	2021-02-01	Current	2021-05-05	Revised standard document uploaded.
34 42 04	Overhead Signal Structures	1	2021-02-01	Superseded	2021-02-01	Revise 34-42-04 Overhead Signal Structures Specification
RC-0506-03SIG-02	Codes of Practice	2	2021-02-01	Superseded	2025-05-02	Revised standard document uploaded.
RC-0506-03SIG-01	General Instructions (GI)	1	2021-02-01	Duplicate	2021-05-05	Revised standard document uploaded.
34 42 03	Wayside Signal Structures Specification	1	2021-02-01	Current	2021-05-05	Revised standard document uploaded.
34 42 03	Wayside Signal Structures	1	2021-02-01	Superseded	2021-02-01	Revise 34-42-03 Wayside Signal Structures Specification
SCP-10	SCP-10 Reference drawing	0	2020-10-29	Current	2021-05-05	New standard document uploaded.
SCP-9	SCP-9 Reference Drawing	0	2020-10-26	Current	2021-05-05	New standard document uploaded.
RC-0506-03SIG-03	Signal Design Manual	1	2020-06-01	Superseded	2025-05-01	Revised standard document uploaded.
RC-05-06-03SIG-03	Signal Design Manual	0	2020-06-01	Superseded	2020-06-01	Added specifications 34 42 01 Aluminum House Specification 34 42 02 Wayside LED Signal Module Specification 34 42 03 Wayside Signal Structures Specification 34 42 04 Overhead Signal Structures Specification 34 42 05 Hot Air Switch Clearing Device Specific

Document No.	Title (English)	Rev. No.	Revision Date	Status	Amendment Date	Amendment Record Details
34 42 02	Wayside LED Signal Module	0	2020-04-01	Superseded	2020-04-01	Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific
34 42 03	Wayside Signal Structures	0	2020-04-01	Superseded	2020-04-01	Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific
34 42 05	Hot Air Switch Clearing Device	0	2020-04-01	Superseded	2020-04-01	Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific
34 42 02	Wayside LED Signal Module Specification	1	2020-04-01	Current	2024-12-11	Updates due to changes in AREMA standards, return on experience from lessons learned, and adding a compliance matrix.
34 42 05	Hot Air Switch Clearing Device Specification	1	2020-04-01	Current	2024-12-11	The update includes changes to the document format for consistency with Metrolinx documents.
34 42 01	Aluminum House Specification	0	2020-04-01	Superseded	2020-04-01	Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific
SCP-1201-Form	Service Test Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1202_4-Form	Switch Circuit Controller, Shunt Fouling, Switch Obstruction	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1202_5-Form	Interlocking Tests	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1202_6-Form	Interlocking Tests - Mechanical Locking	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210-Form	Grade Crossing Warning System Installation & Commissioning Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1250_3-Form	Inspection Audit Form for Wayside Inspection Systems	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1250_2-Form	Inspection Audit Form for Wayside Signal Systems	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1250_1-Form	Inspection Audit Form for Grade Crossing Warning Systems	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_9-Form	Grade Crossing Warning System - Light Unit Data	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.

Document No.	Title (English)	Rev. No.	Revision Date	Status	Amendment Date	Amendment Record Details
SCP-1210_7-Form	Grade Crossing Vehicular Traffic Data	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_6-Form	Road Crossing Inspection Data	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_5-Form	Road Crossing Train Movement Data	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1506_A-Form	Power Clearance Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1506_B-Form	Order to Operate	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1205_B-Form	VRLA/NICAD Battery C/8 Deep-Cycle Discharge Record	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_1-Form	Grade Crossing Warning System Testing Certification Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1210_4-Form	Grade Crossing Warning System Transmittal Notice	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1209_4-Form	Signal Plan Transmittal Notice	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1209_3-Form	Signal Safety Assurance Check List	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1209_2-Form	Staged Testing Certification Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1209_1-Form	Signal Testing Certification Form	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1209-Form	Tasks Required for the Acceptance of the Signal System	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1208_A&B-Form	Record of Insulated Joint Inspections	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1250_4-Form	Inspection Audit Form for New Installations	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
SCP-1208_1-Form	In Service Notification	0	2019-10-30	Current	2025-04-22	Form removed from the SCP Document and placed independently on the Engineering Website.
RC-0506-03SIG-02	Codes of Practice	0	2019-10-01	Superseded	2019-10-01	Launch Codes of Practice
RC-0506-03SIG-01	General Instructions	0	2019-10-01	Superseded	2019-10-01	Launch General Instructions (GI)