

| Document No. | Title (English) | Rev. No. | Revision Date | Status | Amendment Date | Amendment Record Details |
|------------------|--|----------|---------------|------------|----------------|--|
| GI-303 | Battery Grounds and Isolation Faults Tests | 0 | 2026-01-01 | Current | 2026-01-29 | New form established. |
| RC-0506-03SIG-01 | General Instructions (GI) | 2 | 2025-07-01 | Current | 2025-08-01 | Updates to GI305 Inspection and Testing of Batteries, GI 310 Grade Crossing Systems, GI332 Guard Rail Bonds, GI335 and GI 336 for vital and non-vital hardware and software. Additional general updates based on stakeholders' feedback. |
| MX-STC-STD-002 | GO and UP Fleet Radio Devices Installation Standard | 1 | 2025-05-15 | Current | 2025-05-15 | Revised the current standard to align with the present status of the rail fleet and updated part numbers and addition of equipment in the UP fleet. |
| RC-0506-03SIG-02 | Codes of Practice | 3 | 2025-05-02 | Current | 2025-05-16 | General updates based on stakeholder feedback. |
| RC-0506-03SIG-03 | Signal Design Manual | 2 | 2025-05-01 | Current | 2025-05-22 | Updates reflect current signalling best practices and lessons learned from previous signalling projects. |
| GI-620(a)-F | Inspection form for Rail & Crib Heater (Thermal Flex) Systems | 1 | 2025-02-25 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| MX-STC-STD-001 | Track Workers Radio Equipment and Communication Standard | 0 | 2025-01-01 | Current | 2025-01-31 | This is the first edition of the standard. |
| MX-STC-STD-005 | Radio Equipment Installation Standard Inside Buildings & Tunnels | 0 | 2024-11-01 | Current | 2024-11-27 | New standard established. |
| 34 42 01 | Aluminum House Specification | 1 | 2024-06-06 | Current | 2024-06-04 | General updates and formatting. |
| RC-0506-03SIG-04 | Signal Sighting Standard | 2 | 2024-06-06 | Current | 2024-06-04 | Format update, added additional installation requirements, added reference to sighting committee. |
| Bulletin 001 | Signals Standards Bulletin | 0 | 2023-10-03 | Current | 2024-02-08 | Signals Standards Bulletin for GI and SCP - Updated Bonds and Battery requirements. |
| FAE-001 | At Grade Pedestrian Crossings Appendix C DRM Content | 0 | 2023-09-14 | Current | 2023-09-14 | New standard document uploaded. |
| MX-STC-STD-004 | GO Site Radio Devices Installation Standard | 0 | 2023-07-05 | Current | 2023-07-04 | New standard document uploaded. |
| MX-STC-STD-003 | GO Bus Radio Devices Installation Standard | 0 | 2023-07-05 | Current | 2023-07-04 | New standard document uploaded. |
| MX-STC-STD-002 | GO and UP Fleet Radio Devices Installation Standard | 0 | 2023-03-28 | Superseded | 2025-05-15 | New standard document uploaded. |
| GI-612(a)-F | Inspection Form for Condor T4000 | 1 | 2022-11-20 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| RC-0506-05RCM-01 | GO Transit Grade Crossing Design Standard | 0 | 2022-07-08 | Current | 2022-07-07 | New standard document uploaded. |
| SCP-901-Form | WIS Maintenance & Inspection Test Card | 1 | 2021-02-25 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-709-Form | GCWS Deactivation Form | 1 | 2021-02-25 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |

| Document No. | Title (English) | Rev. No. | Revision Date | Status | Amendment Date | Amendment Record Details |
|-------------------|---|----------|---------------|------------|----------------|--|
| SCP-1205_C-Form | Highway Traffic - Grade Crossing Warning System Interconnection | 1 | 2021-02-25 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| GI-613(b)-F | Inspection form for RECO Model 934 (E-HAB) Systems | 1 | 2021-02-25 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| SCP-1210_3-Form | Grade Crossing Warning System Safety Assurance Checklist | 1 | 2021-02-25 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-0701-Form | Grade Crossing Warning Systems Post Incident Checklist | 1 | 2021-02-25 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| GI-613(a)-F | Inspection form for RECO Model 950 to 955 (LP-G or N-G) Systems | 1 | 2021-02-25 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| GI-611(b)-F | Inspection form for Fastrax® FEB E-HAB SCD Systems | 1 | 2021-02-25 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| GI-611(a)-F | Inspection form for Hellfire SCD Systems | 1 | 2021-02-25 | Current | 2025-08-01 | Form removed from the GI Document and placed independently on the Engineering Website. |
| 34 42 04 | Overhead Signal Structures | 1 | 2021-02-01 | Superseded | 2021-02-01 | Revise 34-42-04 Overhead Signal Structures Specification |
| 34 42 03 | Wayside Signal Structures | 1 | 2021-02-01 | Superseded | 2021-02-01 | Revise 34-42-03 Wayside Signal Structures Specification |
| 34 42 03 | Wayside Signal Structures Specification | 1 | 2021-02-01 | Current | 2021-05-05 | Revised standard document uploaded. |
| 34 42 04 | Overhead Signal Structures Specification | 1 | 2021-02-01 | Current | 2021-05-05 | Revised standard document uploaded. |
| RC-05-06-03SIG-04 | Signal Sighting Distance Design | 1 | 2021-02-01 | Superseded | 2021-02-01 | Revise GO Transit Signals and Communications Standards - Signal Design Manual |
| RC-0506-03SIG-01 | General Instructions (GI) | 1 | 2021-02-01 | Duplicate | 2021-05-05 | Revised standard document uploaded. |
| RC-0506-03SIG-02 | Codes of Practice | 2 | 2021-02-01 | Superseded | 2025-05-02 | Revised standard document uploaded. |
| RC-0506-03SIG-02 | Codes of Practice | 1 | 2021-02-01 | Superseded | 2021-02-01 | Revise Codes of Practice (SCP) |
| SCP-10 | SCP-10 Reference drawing | 0 | 2020-10-29 | Current | 2021-05-05 | New standard document uploaded. |
| SCP-9 | SCP-9 Reference Drawing | 0 | 2020-10-26 | Current | 2021-05-05 | New standard document uploaded. |
| RC-0506-03SIG-03 | Signal Design Manual | 1 | 2020-06-01 | Superseded | 2025-05-01 | Revised standard document uploaded. |
| RC-05-06-03SIG-03 | Signal Design Manual | 0 | 2020-06-01 | Superseded | 2020-06-01 | Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific |
| 34 42 05 | Hot Air Switch Clearing Device | 0 | 2020-04-01 | Superseded | 2020-04-01 | Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific |

| Document No. | Title (English) | Rev. No. | Revision Date | Status | Amendment Date | Amendment Record Details |
|-----------------|--|----------|---------------|------------|----------------|--|
| 34 42 03 | Wayside Signal Structures | 0 | 2020-04-01 | Superseded | 2020-04-01 | Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific |
| 34 42 05 | Hot Air Switch Clearing Device Specification | 1 | 2020-04-01 | Current | 2024-12-11 | The update includes changes to the document format for consistency with Metrolinx documents. |
| 34 42 02 | Wayside LED Signal Module | 0 | 2020-04-01 | Superseded | 2020-04-01 | Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific |
| 34 42 02 | Wayside LED Signal Module Specification | 1 | 2020-04-01 | Current | 2024-12-11 | Updates due to changes in AREMA standards, return on experience from lessons learned, and adding a compliance matrix. |
| 34 42 01 | Aluminum House Specification | 0 | 2020-04-01 | Superseded | 2020-04-01 | Added specifications34 42 01 Aluminum House Specification34 42 02 Wayside LED Signal Module Specification34 42 03 Wayside Signal Structures Specification34 42 04 Overhead Signal Structures Specification34 42 05 Hot Air Switch Clearing Device Specific |
| SCP-1209_4-Form | Signal Plan Transmittal Notice | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1209_3-Form | Signal Safety Assurance Check List | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1209_2-Form | Staged Testing Certification Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1250_2-Form | Inspection Audit Form for Wayside Signal Systems | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_9-Form | Grade Crossing Warning System - Light Unit Data | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1250_4-Form | Inspection Audit Form for New Installations | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1506_A-Form | Power Clearance Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1506_B-Form | Order to Operate | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1209_1-Form | Signal Testing Certification Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1209-Form | Tasks Required for the Acceptance of the Signal System | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1250_3-Form | Inspection Audit Form for Wayside Inspection Systems | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |

| Document No. | Title (English) | Rev. No. | Revision Date | Status | Amendment Date | Amendment Record Details |
|-------------------|---|----------|---------------|------------|----------------|---|
| SCP-1202_4-Form | Switch Circuit Controller, Shunt Fouling, Switch Obstruction | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_5-Form | Road Crossing Train Movement Data | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_6-Form | Road Crossing Inspection Data | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_7-Form | Grade Crossing Vehicular Traffic Data | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210-Form | Grade Crossing Warning System Installation & Commissioning Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1208_A&B-Form | Record of Insulated Joint Inspections | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1201-Form | Service Test Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1208_1-Form | In Service Notification | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1202_5-Form | Interlocking Tests | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1202_6-Form | Interlocking Tests - Mechanical Locking | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1250_1-Form | Inspection Audit Form for Grade Crossing Warning Systems | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1205_B-Form | VRLA/NICAD Battery C/8 Deep-Cycle Discharge Record | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_1-Form | Grade Crossing Warning System Testing Certification Form | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| SCP-1210_4-Form | Grade Crossing Warning System Transmittal Notice | 0 | 2019-10-30 | Current | 2025-04-22 | Form removed from the SCP Document and placed independently on the Engineering Website. |
| RC-0506-03SIG-02 | Codes of Practice | 0 | 2019-10-01 | Superseded | 2019-10-01 | Launch Codes of Practice |
| RC-0506-03SIG-01 | General Instructions | 0 | 2019-10-01 | Superseded | 2019-10-01 | Launch General Instructions (GI) |